

User manual

Hollandia

600

Dear Madam, Sir,

Webasto wishes you many miles of open-air driving pleasure with your newly fitted sunroof. To obtain maximum enjoyment and trouble-free motoring with this inbuilt sunroof, please take a few minutes to familiarize yourself with the following instructions.

SLIDING SUNSHADE

When driving and sunroof is in tilt position, do not close sunshade completely!

MAINTENANCE

Keep sunroof mechanism areas free of dirt, dust, leaves etc. Use an air hose twice a year to clean the mechanism areas and the drain tubes outlets. After cleaning, use a light (sewing machine) oil on mechanism parts.

To clean the glass, use only a mild non-scratching detergent and a brush or sponge. If there is moisture on the glass panel when you start driving, we recommend first driving with the roof closed, until it has evaporated. Within a few minutes the glass will be dry, and you can open the roof.

IN CASE OF FAILURE

If the roof should fail to open or close smoothly, thoroughly clean the seal with a mild detergent. If the sunroof fails to operate, inspect the fuse and replace if necessary. If the problem persists, please contact a local repair facility.



WARRANTY

Webasto Product International warrants to the original purchaser, a 3 year or 36.000 mile (which ever occurs first,) warranty on all component parts of this series of sunroofs against defective materials or workmanship when serviced by the original installer or a Webasto Authorized Installer. Proof of original purchase, mileage and date of installation are required to receive warranty service.


Defects caused by rough handling, incorrect use, accident and glass breakage are not covered by this warranty. Transportation costs are the responsibility of the owner. Labor costs for installation or service are not covered under this warranty and should not be assumed unless the installer provides a separate written warranty.

All obligations of Webasto Product N.A. Inc. under this warranty shall be terminated if: Service is performed by someone other than the original installer or a Webasto Authorized Installer. The product is modified or altered in a way not approved by Webasto Product N.A. Inc. The owner cannot produce evidence of original purchase, mileage and installation date.

WEBASTO PRODUCT N.A. INC. MAKES NO OTHER WARRANTY OF ANY KIND WHATEVER EXPRESSED OR IMPLIED; AND ALL IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE WHICH EXCEED THE ABOVE STATED OBLIGATIONS ARE DISCLAIMED BY WEBASTO PRODUCT N.A. INC. AND EXCLUDED FROM THIS AGREEMENT.



Slide function: opening/closing



Tilt function: opening/closing



WARRANTY CARD

Date of installation:

Name of owner:

Type of sunroof:

HOLLANDIA 600

Street address:

KBA-number:

Town:

Country:

Invoice number:

Stamp of approved dealer:

Production number:

Recommended Sunroof Maintenance

The following tips are suggested for sunroof maintenance:

Glass Panel:

The tinted glass panel is heat and UV resistant. To clean the glass panel use of a mild non scratching detergent and moist chamois is recommended. In case of moisture being present on your sunroof, it is best to wait until this moisture has dissipated to open and enjoy your roof.

Seal:

The glass panel fits against a highly resilient wear resistant rubber seal which enables it to be watertight. In order to keep this seal free from dust, dirt and debris, clean with a moist chamois. The application of talcum powder also extends the life of this seal.

Water Management System:

In order to maintain the functionality of the water management system it is necessary to keep it free of dirt and debris. Webasto recommends to clear the drain tubes of anything that may inhibit full drainage capacity a minimum of once per year.

Mechanisms:

The moving parts of the sunroof are low-maintenance materials. After prolonged use, it may be necessary to clean these moving parts, and lubricate them with silicone based grease such as [Sil-Glyde](#).