



Feel the drive

Product Specifications

Hollandia 600 / 700 / 900 Inbuilt Series

630 / 635 / 640
710, 730, 735, 740, 790
930 / 935 / 940

Hollandia 100 Popup

100

Hollandia 300 Spoiler Series

310M / 311M / 320M / 321M
310L / 311L / 312L / 320L / 321L / 322L

Hollandia Folding Fabric 400

400 Classic / Deluxe

SolAire 3200 / 3400 Spoiler Series

3200 / 3400

SolAire 4000 / 5000 Inbuilt Series

4300 / 5300

PRODUCT:	630	635	640
GENERAL:	HOLLANDIA	HOLLANDIA	HOLLANDIA
SUNROOF TYPE:	(INBUILT) TILT-SLIDE	(INBUILT) TILT-SLIDE	(INBUILT) TILT-SLIDE
OPERATION:	STANDARD ELECTRIC	STANDARD ELECTRIC	STANDARD ELECTRIC
POWER:	12 VOLT	12 VOLT	12 VOLT
TYPE / COLOR PANEL:	GLASS VENUS / V-10	GLASS VENUS / V-10	GLASS VENUS / V-10
SUNSHADE:	INTEGRATED SLIDING	INTEGRATED SLIDING	INTEGRATED SLIDING
WIND DEFLECTOR:	N/A	N/A	N/A
WATER DRAINAGE:	WATER MANAGEMENT	WATER MANAGEMENT	WATER MANAGEMENT
INSTALLATION METHOD:	BONDING / BOTTOM LOAD KIT	BONDING / BOTTOM LOAD KIT	BONDING / BOTTOM LOAD KIT
TOTAL WEIGHT:	19.50KG. (43.0LBS.)	20.41KG. (45.0LBS.)	20.87KG. (46.0LBS.)
DIMENSIONS:			
HOUSING DIMENSIONS:	1074MM x 862MM (42.3 x 33.9)	1076MM x 912MM (42.4 x 35.9)	1078MM x 962MM (42.5 x 37.9)
PANEL DIMENSIONS:	475MM x 801MM (18.7 x 31.5)	477MM x 851MM (18.8 x 33.5)	480MM x 901MM (18.9 x 35.5)
LOOK THROUGH OPENING:	337MM x 630MM (13.3 x 24.8)	337MM x 680MM (13.3 x 26.8)	337MM x 730MM (13.3 x 28.8)
TILT HEIGHT OPENING:	50 (2.0)	50 (2.0)	50 (2.0)
CURVATURE:	7000	4900	7000
FINISH:			
EXTERIOR:	VINYL TRIM RING	VINYL TRIM RING	VINYL TRIM RING
INTERIOR:	SOFT HEADLINER	SOFT HEADLINER	SOFT HEADLINER
PREVIOUS PRODUCT NAME:	N/A	N/A	N/A

PRODUCT:	710	730	735	740	790
GENERAL:	HOLLANDIA	HOLLANDIA	HOLLANDIA	HOLLANDIA	HOLLANDIA
SUNROOF TYPE:	(INBUILT) TILT-SLIDE	(INBUILT) TILT-SLIDE	(INBUILT) TILT-SLIDE	(INBUILT) TILT-SLIDE	(INBUILT) TILT-SLIDE
OPERATION:	STANDARD ELECTRIC	STANDARD ELECTRIC	STANDARD ELECTRIC	STANDARD ELECTRIC	STANDARD ELECTRIC
POWER:	12 VOLT	12 VOLT	12 VOLT	12 VOLT	12 VOLT
TYPE / COLOR PANEL:	GLASS VENUS / V-10	GLASS VENUS / V-10	GLASS VENUS / V-10	GLASS VENUS / V-10	GLASS VENUS / V-10
SUNSHADE:	INTEGRATED SLIDING	INTEGRATED SLIDING	INTEGRATED SLIDING	INTEGRATED SLIDING	INTEGRATED SLIDING
WIND DEFLECTOR:	INTEGRATED	INTEGRATED	INTEGRATED	INTEGRATED	INTEGRATED
WATER DRAINAGE:	WATER MANAGEMENT	WATER MANAGEMENT	WATER MANAGEMENT	WATER MANAGEMENT	WATER MANAGEMENT
INSTALLATION METHOD:	BONDING / BOTTOM LOAD KIT	BONDING / BOTTOM LOAD KIT	BONDING / BOTTOM LOAD KIT	BONDING / BOTTOM LOAD KIT	BONDING / BOTTOM LOAD KIT
TOTAL WEIGHT:	20.64KG. (45.5LBS.)	1973KG. (43.5 LBS.)	20.64KG. (45.5 LBS.)	21.10KG. (46.5 LBS.)	22.68KG. (50.0 LBS.)
DIMENSIONS:					
HOUSING DIMENSIONS:	960MM X 912MM (37.8 X 35.9)	1074 X 862MM (42.3 X 33.9)	1076MM X 912MM (42.4 X 35.9)	1078MM X 962MM (42.5 X 37.9)	1083MM X 1062MM (42.6 X 41.8)
PANEL DIMENSIONS:	477MM X 851MM (18.8 X 33.5)	475MM X 801MM (18.7 X 31.5)	477MM X 851MM (18.8 X 33.5)	480MM X 901MM (18.9 X 35.5)	485MM X 1001MM (19.0 X 39.4)
LOOK THROUGH OPENING:	234MM X 680MM (9.2 X 26.8)	337MM X 630MM (13.3 X 24.8)	337MM X 680MM (13.3 X 26.8)	337MM X 730MM (13.3 X 28.8)	343MM X 832MM (13.5 X 32.8)
TILT HEIGHT OPENING:	50 (2.0)	50 (2.0)	50 (2.0)	50 (2.0)	50 (2.0)
CURVATURE:	4900	7000	4900	7000	7000
FINISH:					
EXTERIOR:	VINYL TRIM RING	VINYL TRIM RING	VINYL TRIM RING	VINYL TRIM RING	VINYL TRIM RING
INTERIOR:	SOFT HEADLINER	SOFT HEADLINER	SOFT HEADLINER	SOFT HEADLINER	SOFT HEADLINER
PREVIOUS PRODUCT NAME:	N/A	TVS 743	TVS 743.5	TVS 744	TVS 749

PRODUCT:	930	935	940
GENERAL:	HOLLANDIA	HOLLANDIA	HOLLANDIA
SUNROOF TYPE:	(INBUILT) TWIN / VENT / SLIDE	(INBUILT) TWIN / VENT / SLIDE	(INBUILT) TWIN / VENT / SLIDE
OPERATION:	STANDARD ELECTRIC / SOFT TOUCH	STANDARD ELECTRIC / SOFT TOUCH	STANDARD ELECTRIC / SOFT TOUCH
POWER:	12 VOLT	12 VOLT	12 VOLT
TYPE / COLOR PANEL:	GLASS VENUS 10 / GRAY OR EQUIVALENT	GLASS VENUS 10 / GRAY OR EQUIVALENT	GLASS VENUS 10 / GRAY OR EQUIVALENT
SUNSHADE:	INTEGRATED SLIDING	INTEGRATED SLIDING	INTEGRATED SLIDING
WIND DEFLECTOR:	INTEGRATED DEFLECTOR	INTEGRATED DEFLECTOR	INTEGRATED DEFLECTOR
WATER DRAINAGE:	WATER MANAGEMENT	WATER MANAGEMENT	WATER MANAGEMENT
INSTALLATION METHOD:	BONDING / PRE-RING BOTTOM LOAD CASSETTE	BONDING / PRE-RING BOTTOM LOAD CASSETTE	BONDING / PRE-RING BOTTOM LOAD CASSETTE
TOTAL WEIGHT:	22.45KG. (49.5 LBS.)	23.59KG. (52.0 LBS.)	24.27KG. (53.5 LBS.)
DIMENSIONS:			
HOUSING DIMENSIONS:	1080MM x 864MM (42.5 x 34.0)	1080mm x 914MM (42.5 x 36.0)	1080MM x 964MM (42.5 x 38.0)
PANEL DIMENSIONS:	F: 195MM x 788MM (7.7 x 31.0) R: 358MM x 786MM (14.1 x 31.0)	F: 195MM x 838MM (7.7 x 33.0) R: 358MM x 838MM (14.1 x 33.0)	F: 195MM x 888MM (7.7 x 35.0) R: 358MM x 888MM (14.1 x 35.0)
LOOK THROUGH OPENING:	420MM x 640MM (16.5 x 25.2)	420MM x 690MM (16.5 x 27.2)	420 MM x 740MM (16.5 x 29.1)
TILT HEIGHT OPENING:	38MM / 33MM (1.5 / 1.3)	38MM / 33MM (1.5 / 1.3)	38MM / 33MM (1.5 / 1.3)
CURVATURE:	SIDE: 5500 F: 4000 R: 7500	SIDE: 5500 F: 4000 R: 7500	SIDE: 5500 F: 4000 R: 7500
FINISH:			
EXTERIOR:	RUBBER SEAL / TRIM RING	RUBBER SEAL / TRIM RING	RUBBER SEAL / TRIM RING
INTERIOR:	SOFT HEADLINER	SOFT HEADLINER	SOFT HEADLINER
PREVIOUS PRODUCT NAME:	N/A	N/A	N/A

PRODUCT:	100	
GENERAL:		
SUNROOF TYPE:	POPUP	
OPERATION:	MANUAL OPEN (LATCH)	
POWER:	N/A	
TYPE / COLOR PANEL:	GLASS VENUS 10 / GRAY OR EQUIVALENT	
SUNSHADE:	N/A	
WIND DEFLECTOR:	N/A	
WATER DRAINAGE:	N/A	
INSTALLATION METHOD:	CLAMP FRAME / DRY SEAL	
TOTAL WEIGHT:	6.1 KG. (13.5LBS.)	
DIMENSIONS:		
HOUSING DIMENSIONS:	410MM X 780MM (16.1 X 30.7)	
PANEL DIMENSIONS:	378MM X 748MM (14.9 X 29.5)	
LOOK THROUGH OPENING:	310MM X 700MM (12.2 X 27.6)	
TILT HEIGHT OPENING:	74MM (2.9)	
CURVATURE:	SECTIONAL 8800/9400	LONGITUDINAL 11000
FINISH:		
EXTERIOR:	MAIN FRAME	
INTERIOR:	TRIM SHELL	
PREVIOUS PRODUCT NAME:	N/A	

PRODUCT:	312L / 322L LARGE	310L / 311L / 320L / 321L LARGE	310M / 311M / 320M / 321M MEDIUM	400 Folding Fabric
GENERAL:	HOLLANDIA	HOLLANDIA	HOLLANDIA	HOLLANDIA
SUNROOF TYPE:	SPOILER	SPOILER	SPOILER	FABRIC FOLDING
OPERATION:	STANDARD ELECTRIC / SOFT TOUCH	STANDARD ELECTRIC / SOFT TOUCH	STANDARD ELECTRIC / SOFT TOUCH	STANDARD ELECTRIC / SOFT TOUCH
POWER:	12 VOLT	12 VOLT	12 VOLT	12 VOLT
TYPE/ COLOR PANEL:	VENUS®GLASS / GRAY	VENUS®GLASS / GRAY	VENUS®GLASS / GRAY	VINYL / BLACK
SUNSHADE:	INTEGRATED SLIDING	ROLLO OPTIONAL	ROLLO OPTIONAL	FABRIC / FIXED
WIND DEFLECTOR:	INTEGRATED	INTEGRATED	INTEGRATED	ROOF MOUNTED
WATER DRAINAGE:	-	-	-	-
INSTALLATION METHOD:	CLAMP FRAME / DRY SEAL	CLAMP FRAME / DRY SEAL	CLAMP FRAME / DRY SEAL	CLAMP FRAME / SEAL TAPE
TOTAL WEIGHT	13.61KG. (30 LBS.)	13.39KG. (29.5 LBS.)	10.66KG. (23.5 LBS.)	22.68KG. (50 LBS.)
DIMENSIONS:				
FRAME DIMENSIONS:	813MM x 860MM (32.0 x 33.9)	493MM x 860MM (19.41 x 33.9)	370MM x 803MM (14.6 x 31.6)	1102MM x 800MM (43.4 x 31.5)
PANEL DIMENSIONS:	451MM x 820MM (17.8 x 32.3)	451MM x 820MM (17.8 x 32.3)	335MM x 768MM (13.2 x 30.2)	1130MM x 832MM (44.5 x 32.8)
LOOK THROUGH OPENING:	292MM x 680MM (11.5 x 26.8)	292MM x 680MM (11.5 x 26.8)	260MM x 622MM (10.2 x 24.5)	638MM x 622MM (25.1 x 24.5)
TILT HEIGHT OPENING:	47 (1.9)	47 (1.9)	51 (2)	-
CURVATURE: SECTIONAL:	8000	8000	7000	-
LONGITUDINAL:	8000 / 12000	8000 / 12000	6500/ 1 0000	-
FINISH:				
EXTERIOR:	MAIN FRAME	MAIN FRAME	MAIN FRAME	VINYL TOP
INTERIOR:	SOFT WRAP FINISHING	TRIM SHELL / SOFT WRAP	TRIM SHELL / SOFT WRAP	TRIM SHELL / SOFT WRAP
PREVIOUS PRODUCT NAME:	EMERALD S	ONYX 860	S - 2	2200

PRODUCT:	3200	3400	4300	5300
GENERAL:	SOLAIRE	SOLAIRE	SOLAIRE	SOLAIRE
SUNROOF TYPE :	SPOILER	SPOILER	INBUILT	INBUILT
OPERATION :	STANDARD ELECTRIC	STANDARD ELECTRIC	SOFT TOUCH - OPEN	SOFT TOUCH - OPEN / CLOSE / VENT
POWER :	12 VOLT	12 VOLT	12 VOLT	12 VOLT
TYPE / COLOR PANEL :	VENUS®GLASS / GRAY	VENUS®GLASS / GRAY	SOLAR CONTROL GLASS	SOLAR CONTROL GLASS
SUNSHADE :	N/A	N/A	INTEGRATED SLIDING	INTEGRATED SLIDING
WIND DEFLECTOR :	INTEGRATED	INTEGRATED	INTEGRATED	INTEGRATED
WATER DRAINAGE :	-	-	WATER MANAGEMENT	WATER MANAGEMENT
INSTALLATION METHOD:	CLAMP FRAME / SEAL TAPE	CLAMP FRAME / SEAL TAPE	PRE-RING / BOTTOM LOAD CASSETTE	PRE-RING / BOTTOM LOAD CASSETTE
TOTAL WEIGHT:	9.98KG. (22 LBS.)	12.25KG. (27 LBS.)	24.27KG. (53.5LBS.)	24.27KG. (53.5LBS.)
DIMENSIONS:				
FRAME DIMENSIONS:	412MM x 782MM (16.2 x 30.8)	503MM x 842MM (19.8 x 33.2)	1118MM x 895MM (44.0 x 35.2)	1118MM x 895MM (44.0 x 35.2)
PANEL DIMENSIONS:	375MM x 749MM (14.8 x 29.5)	463MM x 800MM (18.2 x 31.5)	476MM x 819MM (18.7 x 32.2)	476MM x 819MM (18.7 x 32.2)
LOOK THROUGH OPENING:	330MM x 613MM (13.0 x 24.1)	358MM x 664MM x (14.1 x 26.1)	305MM x 673MM (12.0 x 26.5)	305MM x 673MM (12.0 x 26.5)
TILT HEIGHT OPENING:	43 (1.7)	48 (1.9)	51 (2)	51 (2)
CURVATURE: SECTIONAL:	-	-	6500	6500
LONGITUDINAL:	-	-		
FINISH:			COMPOSITE TRIM RING	COMPOSITE TRIM RING
EXTERIOR:	MAIN FRAME	MAIN FRAME	MAIN FRAME	MAIN FRAME
INTERIOR:	TRIM SHELL / SOFT WRAP	TRIM SHELL / SOFT WRAP	HEADLINER SUPP. / SOFT WRAP	HEADLINER SUPP. / SOFT WRAP
PREVIOUS PRODUCT NAME:	3200	3400	N/A	N/A