



Feel the drive

Sales Regions

Western, North Central, Midwest, North Eastern, Mid Atlantic, South Eastern, South Central

Product Specifications

Hollandia 600 / 700 / 900 Inbuilt Series

630 / 635 / 640
710, 730, 735, 740, 790
930 / 935 / 940

Hollandia 300 Spoiler Series

310M / 311M / 320M / 321M
310L / 311L / 312L / 320L / 321L / 322L

Hollandia Folding Fabric 400

400

Solaire 300 Spoiler Series

300M Classic / 300L Classic

Solaire 4000 / 5000 Inbuilt Series

4300 / 5300

PRODUCT:	630	635	640
GENERAL:	HOLLANDIA	HOLLANDIA	HOLLANDIA
SUNROOF TYPE:	(INBUILT) TILT-SLIDE	(INBUILT) TILT-SLIDE	(INBUILT) TILT-SLIDE
OPERATION:	STANDARD ELECTRIC	STANDARD ELECTRIC	STANDARD ELECTRIC
POWER:	12 VOLT	12 VOLT	12 VOLT
TYPE / COLOR PANEL:	GLASS VENUS / v-10	GLASS VENUS / v-10	GLASS VENUS / v-10
SUNSHADE:	INTEGRATED SLIDING	INTEGRATED SLIDING	INTEGRATED SLIDING
WIND DEFLECTOR:	N/A	N/A	N/A
WATER DRAINAGE:	WATER MANAGEMENT	WATER MANAGEMENT	WATER MANAGEMENT
INSTALLATION METHOD:	BONDING / BOTTOM LOAD KIT	BONDING / BOTTOM LOAD KIT	BONDING / BOTTOM LOAD KIT
TOTAL WEIGHT:	19.50KG. (43.0LBS.)	20.41KG. (45.0LBS.)	20.87KG. (46.0LBS.)
DIMENSIONS:			
HOUSING DIMENSIONS:	862MM x 1074MM (33.94 x 42.28)	912MM x 1076MM (35.91 x 42.36)	962MM x 1078MM (37.87 x 42.44)
PANEL DIMENSIONS:	801MM x 475MM (31.50 x 18.50)	851MM x 477MM (33.50 x 18.75)	901MM x 480MM (35.50 x 18.75)
LOOK THROUGH OPENING:	630MM x 337MM (24.75 x 13.25)	680MM x 337MM (26.75 x 13.25)	730MM x 337MM (28.75 x 13.25)
TILT HEIGHT OPENING:	50 (1.97)	50 (1.97)	50 (1.97)
CURVATURE:	7000	4900	7000
FINISH:			
EXTERIOR:	VINYL TRIM RING	VINYL TRIM RING	VINYL TRIM RING
INTERIOR:	SOFT HEADLINER	SOFT HEADLINER	SOFT HEADLINER
PREVIOUS PRODUCT NAME:	N/A	N/A	N/A

PRODUCT:	710	730	735	740	790
GENERAL:	HOLLANDIA	HOLLANDIA	HOLLANDIA	HOLLANDIA	HOLLANDIA
SUNROOF TYPE:	(INBUILT) TILT-SLIDE	(INBUILT) TILT-SLIDE	(INBUILT) TILT-SLIDE	(INBUILT) TILT-SLIDE	(INBUILT) TILT-SLIDE
OPERATION:	STANDARD ELECTRIC	STANDARD ELECTRIC	STANDARD ELECTRIC	STANDARD ELECTRIC	STANDARD ELECTRIC
POWER:	12 VOLT	12 VOLT	12 VOLT	12 VOLT	12 VOLT
TYPE / COLOR PANEL:	GLASS VENUS / v-10	GLASS VENUS / v-10	GLASS VENUS / v-10	GLASS VENUS / v-10	GLASS VENUS / v-10
SUNSHADE:	INTEGRATED SLIDING	INTEGRATED SLIDING	INTEGRATED SLIDING	INTEGRATED SLIDING	INTEGRATED SLIDING
WIND DEFLECTOR:	INTEGRATED	INTEGRATED	INTEGRATED	INTEGRATED	INTEGRATED
WATER DRAINAGE:	WATER MANAGEMENT	WATER MANAGEMENT	WATER MANAGEMENT	WATER MANAGEMENT	WATER MANAGEMENT
INSTALLATION METHOD:	BONDING / BOTTOM LOAD KIT	BONDING / BOTTOM LOAD KIT	BONDING / BOTTOM LOAD KIT	BONDING / BOTTOM LOAD KIT	BONDING / BOTTOM LOAD KIT
TOTAL WEIGHT:	20.64KG. (45.5LBS.)	1973KG. (43.5 LBS.)	20.64KG. (45.5 LBS.)	21.10KG. (46.5 LBS.)	22.68KG. (50.0 LBS.)
DIMENSIONS:					
HOUSING DIMENSIONS:	975MM x 987MM (38.38 x 35.88)	862MM x 1074MM (33.94 x 42.28)	912MM x 1076MM (35.91 x 42.36)	962MM x 1078MM (37.87 x 42.44)	1062MM x 1083MM (41.81 x 42.64)
PANEL DIMENSIONS:	479MM x 851MM (18.75 x 33.50)	801MM x 475MM (31.50 x 18.50)	851MM x 477MM (33.50 x 18.75)	901MM x 480MM (35.50 x 18.75)	1001MM x 485MM (39.50 x 19.00)
LOOK THROUGH OPENING:	680MM x 234MM (26.75 x 9.25) ESTIMATE	630MM x 337MM (24.75 x 13.25)	680MM x 337MM (26.75 x 13.25)	730MM x 337MM (28.75 x 13.25)	832MM x 343MM (32.75 x 13.50)
TILT HEIGHT OPENING:	50 (1.97)	50 (1.97)	50 (1.97)	50 (1.97)	50 (1.97)
CURVATURE:	4900	7000	4900	7000	7000
FINISH:					
EXTERIOR:	VINYL TRIM RING	VINYL TRIM RING	VINYL TRIM RING	VINYL TRIM RING	VINYL TRIM RING
INTERIOR:	SOFT HEADLINER	SOFT HEADLINER	SOFT HEADLINER	SOFT HEADLINER	SOFT HEADLINER
PREVIOUS PRODUCT NAME:	N/A	TVS 743	TVS 743.5	TVS 744	TVS 749

PRODUCT:	930		935		940	
GENERAL:	HOLLANDIA		HOLLANDIA		HOLLANDIA	
SUNROOF TYPE:	(INBUILT) TWIN / VENT / SLIDE		(INBUILT) TWIN / VENT / SLIDE		(INBUILT) TWIN / VENT / SLIDE	
OPERATION:	STANDARD ELECTRIC / SOFT TOUCH		STANDARD ELECTRIC / SOFT TOUCH		STANDARD ELECTRIC / SOFT TOUCH	
POWER:	12 VOLT		12 VOLT		12 VOLT	
TYPE / COLOR PANEL:	GLASS VENUS 10 / GRAY OR EQUIVALENT		GLASS VENUS 10 / GRAY OR EQUIVALENT		GLASS VENUS 10 / GRAY OR EQUIVALENT	
SUNSHADE:	INTEGRATED SLIDING		INTEGRATED SLIDING		INTEGRATED SLIDING	
WIND DEFLECTOR:	INTEGRATED DEFLECTOR		INTEGRATED DEFLECTOR		INTEGRATED DEFLECTOR	
WATER DRAINAGE:	WATER MANAGEMENT		WATER MANAGEMENT		WATER MANAGEMENT	
INSTALLATION METHOD:	BONDING / PRE-RING BOTTOM LOAD CASSETTE		BONDING / PRE-RING BOTTOM LOAD CASSETTE		BONDING / PRE-RING BOTTOM LOAD CASSETTE	
TOTAL WEIGHT:	22.45KG. (49.5 LBS.)		23.59KG. (52.0 LBS.)		24.27KG. (53.5 LBS.)	
DIMENSIONS:						
HOUSING DIMENSIONS:	1080MM x 865MM (42.52" x 34.05")		1080mm x 914MM (42.52" x 35.98")		1080 MM (42.52") x 965 MM (37.99")	
PANEL DIMENSIONS:	F: 195MM x 786MM (7.68" x 33.94") R: 358MM x 786MM (14.09" x 30.94")		F: 195MM x 838MM (7.68" x 33") R: 358MM x 838MM (14.09" x 33")		F: 195MM x 888MM (7.68" x 34.96") R: 358MM x 888MM (14.09" x 34.96")	
LOOK THROUGH OPENING:	420MM x 640MM (16.54" x 25.2")		420MM x 690MM (16.54" x 27.17")		420 MM x 740MM (16.54" x 29.13")	
TILT HEIGHT OPENING:	38MM / 33MM (1.5" / 1.3")		38MM / 33MM (1.5" / 1.3")		38MM / 33MM (1.5" / 1.3")	
CURVATURE:	SIDE: 5500	F: 4000 R: 7500	SIDE: 5500	F: 4000 R: 7500	SIDE: 5500	F: 4000 R: 7500
FINISH:						
EXTERIOR:	RUBBER SEAL / TRIM RING		RUBBER SEAL / TRIM RING		RUBBER SEAL / TRIM RING	
INTERIOR:	SOFT HEADLINER		SOFT HEADLINER		SOFT HEADLINER	
PREVIOUS PRODUCT NAME:	N/A		N/A		N/A	

PRODUCT:	312L / 322L	310L / 311L / 320L / 321L	310M / 311M / 320M / 321M	400
	LARGE	LARGE	MEDIUM	Folding Fabric
GENERAL:	HOLLANDIA	HOLLANDIA	HOLLANDIA	HOLLANDIA
SUNROOF TYPE:	SPOILER	SPOILER	SPOILER	FABRIC FOLDING
OPERATION:	STANDARD ELECTRIC / SOFT TOUCH	STANDARD ELECTRIC / SOFT TOUCH	STANDARD ELECTRIC / SOFT TOUCH	STANDARD ELECTRIC
POWER:	12 VOLT	12 VOLT	12 VOLT	12 VOLT
TYPE/ COLOR PANEL:	VENUS®GLASS / GRAY	VENUS®GLASS / GRAY	VENUS®GLASS / GRAY	VINYL / BLACK
SUNSHADE:	INTEGRATED SLIDING	ROLLO OPTIONAL	ROLLO OPTIONAL	FABRIC / FIXED
WIND DEFLECTOR:	INTEGRATED	INTEGRATED	INTEGRATED	ROOF MOUNTED
WATER DRAINAGE:	-	-	-	-
INSTALLATION METHOD:	CLAMP FRAME / **SEAL TAPE	CLAMP FRAME / DRY SEAL	CLAMP FRAME / DRY SEAL	CLAMP FRAME / **SEAL TAPE
TOTAL WEIGHT	13.61KG. (30 LBS.)	13.39KG. (29.5 LBS.)	10.66KG. (23.5 LBS.)	22.68KG. (50 LBS.)
DIMENSIONS:				
FRAME DIMENSIONS:	860MM X 493MM (33.86 X 30.31)	860MM X 493MM (33.86 X 19.41)	803MM X 370MM (31.61 X 14.57)	1080MM X 781MM (42.50 X 30.75)
PANEL DIMENSIONS:	820MM X 451MM (32.25 X 17.75)	820MM X 451MM (32.25 X 17.75)	768MM X 335MM (30.25 X 13.25)	1130MM X 832MM (44.50 X 32.75)
LOOK THROUGH OPENING:	680MM X 292MM (26.75 X 11.50)	698MM X 362MM (27.50 X 14.25)	622MM X 260MM (24.50 X 10.25)	622MM X 638MM (24.50 X 25.12)
TILT HEIGHT OPENING:	47 (1.85)	47 (1.85)	52 (2.05)	-
CURVATURE: SECTIONAL:	8000	8000	7000	-
LONGITUDINAL:	8000 / 12000	8000 / 12000	6500/ 1 0000	-
FINISH:				
EXTERIOR:	MAIN FRAME	MAIN FRAME	MAIN FRAME	VINYL TOP
INTERIOR:	SOFT WRAP FINISHING	TRIMSHELL / SOFT WRAP	TRIMSHELL / SOFT WRAP	TRIMSHELL / SOFT WRAP
PREVIOUS PRODUCT NAME:	EMERALD S	ONYX 860	S - 2	2200

PRODUCT:	300L CLASSIC	300M CLASSIC	4300	5300
GENERAL:	SOLAIRE	SOLAIRE	SOLAIRE	SOLAIRE
SUNROOF TYPE :	SPOILER	SPOILER	INBUILT	INBUILT
OPERATION :	STANDARD ELECTRIC	STANDARD ELECTRIC	SOFT TOUCH - OPEN	SOFT TOUCH - OPEN / CLOSE / VENT
POWER :	12 VOLT	12 VOLT	12 VOLT	12 VOLT
TYPE / COLOR PANEL :	VENUS®GLASS / GRAY	VENUS®GLASS / GRAY	SOLAR CONTROL GLASS	SOLAR CONTROL GLASS
SUNSHADE :	N/A	N/A	INTEGRATED SLIDING	INTEGRATED SLIDING
WIND DEFLECTOR :	INTEGRATED	INTEGRATED	INTEGRATED	INTEGRATED
WATER DRAINAGE :	-	-	WATER MANAGEMENT	WATER MANAGEMENT
INSTALLATION METHOD:	CLAMP FRAME / SEAL TAPE	CLAMP FRAME / SEAL TAPE	PRE-RING / BOTTOM LOAD CASSETTE	PRE-RING / BOTTOM LOAD CASSETTE
TOTAL WEIGHT:	12.25KG. (27 LBS.)	9.98KG. (22 LBS.)	24.27KG. (53.5LBS.)	24.27KG. (53.5LBS.)
DIMENSIONS:				
FRAME DIMENSIONS:	842 x 503 (33 x 19.75)	782 x 412 (30.79 x 16.22)	1118 x 895 (44 x 35.25)	1118 x 895 (44 x 35.25)
PANEL DIMENSIONS:	800 x 463 (31.50 x 18.25)	749 x 375 (29.50 x 14.75)	819 x 476 (32.25 x 18.75)	819 x 476 (32.25 x 18.75)
LOOK THROUGH OPENING:	664 x 358 (26.12 x 14.12)	613 x 330 (24.12 x 13)	673 x 305 (26.50 x 12)	673 x 305 (26.50 x 12)
TILT HEIGHT OPENING:	48 (1.89)	43 (1.69)	51 (2)	51 (2)
CURVATURE: SECTIONAL:	-	-	6500	6500
LONGITUDINAL:	-	-		
FINISH:			COMPOSITE TRIM RING	COMPOSITE TRIM RING
EXTERIOR:	MAIN FRAME	MAIN FRAME	MAIN FRAME	MAIN FRAME
INTERIOR:	TRIMSHELL / SOFT WRAP	TRIMSHELL / SOFT WRAP	HEADLINER SUPP. / SOFT WRAP	HEADLINER SUPP. / SOFT WRAP
PREVIOUS PRODUCT NAME:	3400	3200	N/A	N/A